



Consulting
Engineers and
Scientists

**Groundwater Monitoring Report
October 2019 (Q4-2019) Annual Sampling Event**

Rockaway Park Former MGP Site

Rockaway Park

Queens County, New York

Order on Consent Index No. D1-0002-98-11

Site No. 2-41-029


Submitted to:

National Grid
175 East Old Country Road
Hicksville, NY 11801

Submitted by:

GEI Consultants, Inc., P. C.
110 Walt Whitman Road
Huntington Station, NY 11746
631-760-9300

February 2020
Project 093150-4-1416



Melissa J. Felter

Melissa Felter, P.G.
Senior Geologist

Matthew J. O'Neil

Matthew O'Neil, P.E.
Senior Engineer

Table of Contents

1. Introduction and Site Background	1
1.1 Site Description	1
1.2 Site History	1
1.3 Site Remedy	2
1.4 Geology	3
1.5 Hydrogeology	4
1.6 Historical Groundwater Monitoring Event Summary	4
2. Rockaway Park Site and Adjacent Off-site Areas	5
2.1 Annual Groundwater Monitoring Event Summary	5
2.2 Monitoring Program	5
2.2.1 Number of Wells	5
2.2.2 Hydrological Data	5
2.2.3 NAPL Gauging	7
2.2.4 Groundwater Analytical Sampling	8
2.2.5 Analytical Results	8
2.3 Future Plans	9

Tables

Attached

- 1 Water Level Measurements and Calculated Groundwater Elevations
- 4 Groundwater Analysis Results

Embedded

- 2a Shallow Groundwater Measurements
- 2b Intermediate Groundwater Measurements
- 2c Deep Groundwater Measurements
- 2d Deep (2) Groundwater Measurements
- 3 DNAPL Gauging Measurements

Figures

- 1 Site Location Map
- 2 Monitoring Well Location Map
- 3 Groundwater Contours (Low Tide)
- 4 Groundwater Contours (High Tide)
- 5 Groundwater Analytical Results

1. Introduction and Site Background

This report presents the October 2019 groundwater monitoring results for the Rockaway Park Former Manufactured Gas Plant (MGP) site located in Rockaway Park, Queens County, New York (the Site) (**Figure 1**). This report has been prepared in accordance with the requirements of Section 6 of *DER-10* (Division of Environmental Remediation) *Technical Guidance for Site Investigation and Remediation*; the Order on Consent, Index No. D1-0002-98-11 signed by National Grid Corporation (National Grid) and the New York State Department of Environmental Conservation (NYSDEC), and the *Draft Site Management Plan (SMP), Rockaway Park Former Manufactured Gas Plant, Rockaway Park, New York* prepared by GEI Consultants, Inc. P.C. (GEI), dated March 2017.

1.1 Site Description

The former MGP and former electric substation are identified as Block 16166 and Lot 155 and the majority of Lot 110 on the Queens Tax Map (herein referred to as the “On-Site Property”). The On-Site Property is an approximately 8.9-acre area and is bounded by Beach Channel Drive to the north, Rockaway Freeway to the south, Beach 108th Street to the east, and Rockaway Freeway to the west (**Figure 2**).

The bulkhead area, which was historically used for off-loading of coal for the former Gas Works, is located North of the On-Site Property. This property, located north of Beach Channel Drive between Rockaway Freeway and Beach 108th Street, is identified as Block 16166 Lot 177 on the Queens Tax Map (herein referred to as the “Off-Site Property”). The Off-Site Property is an approximately 1.0-acre area and is bounded by Jamaica Bay to the north, and Beach Channel Drive to the south (**Figure 2**). National Grid does not own the Off-Site Property.

1.2 Site History

The Rockaway MGP began operations in the late 1870s. The plant was operated by Rockaway Electric Light Co., Town of Hempstead Gas & Electric Company, and later the Queensboro Gas and Electric Company from the late 1870s to 1926. In 1926, Queensboro Gas and Electric Company became a subsidiary of the Long Island Lighting Company (LILCO). LILCO operated the plant from 1926 to approximately 1958, when most of the facilities were demolished. In 1998, KeySpan Corporation acquired the former MGP property through a merger of LILCO and Brooklyn Union Gas Company.

In 1894, the plant consisted of two gas holders, a generator, purifiers and scrubbers. The records indicate that the MGP operated carbureted water gas and coal carbonization processes during early gas production. After 1905, the carbureted water gas process was the only process used during gas production. In 1912, the MGP expanded to the north and east and a portion of the southern property boundary was located beneath the present Rockaway Freeway. The plant now included a half-million cubic foot gas holder, several oxide tanks, generator and boiler buildings, engine room, several oil tanks, and a condenser.

The plant expanded in the mid-1920s to a strip of land to the north of the existing plant. This land was created when Jamaica Bay was filled in during Beach Channel Drive Construction. In 1933, the plant figuration included several additional structures that could allow increased gasification, tar and oil separation and storage, and coke and gas storage. These structures included a 2-million cubic foot gas holder, drip oil tanks, skimming basin, condensers, oxide enclosure, generator ash storage bin, tar separator, tar settling and drying tanks, and tar de-emulsifier. The MGP ceased operations in 1957 and was demolished in 1958.

Five industrial supply wells were formerly located on the MGP property. A mixture of clay, liquid mud, and cement were used to abandon these wells. Three of the wells were abandoned in the 1930s and the abandonment dates of the other two wells are not known.

In October 2002, the NYSDEC approved National Grid's request to reclassify the northwestern portion of the Rockaway Park former MGP site on the Registry of Inactive Hazardous Waste Disposal Sites. This portion of the Site is the current active substation. It was delisted based on investigation results and a risk assessment which concluded that the construction worker subsurface-soil exposure in the proposed substation area did not pose an unacceptable carcinogenic health threat or non-cancer health hazard.

1.3 Site Remedy

The NYSDEC-approved remedy for the Site involved four components. The following is a summary of the Remedial Actions performed at the Site:

- A shallow excavation was completed to the approximate depth of the water table at 8-feet below grade at the Site. Outside of the shallow excavation limits, the upper 2 feet of material was removed to accommodate the installation of the On-Site Soil Cover System. Approximately 165,292 tons of material was excavated and disposed of off-site.
- A composite dense non-aqueous phase liquid (DNAPL) migration barrier was constructed at the Site to contain impacted materials at the Site. The location of composite On-Site DNAPL migration barrier is depicted in **Figure 2** and consists of the following components:
 - A 695-foot long Waterloo Barrier® sheet pile barrier was installed. The Waterloo Barrier® sheet piling was installed to depths of 50-feet on the flanks and 60 feet in the center of the wall.
 - Soil-cement jet grout columns were installed to a depth of approximately 120 feet below ground surface (ft bgs) with a continuous 5-foot wall overlap with the 250-foot long center section of the Waterloo Barrier® sheet piles.
- The Off-Site DNAPL migration barrier consists of a 137-foot long Waterloo Barrier® sheet pile barrier. The Waterloo Barrier® sheet piling was installed to depths of 60 to 70 feet bgs.
- A Cover System was installed on both the On-Site and Off-Site Properties.
 - The On-Site Soil Cover System consists of an 18-inch layer of well graded sandy soil material overlain with 6 inches of 2.5-inch crushed stone and underlain with a fabric demarcation barrier between the On-Site Soil Cover System and the subgrade materials.

- The Off-Site Composite Cover System consists of either a 24-inch layer of clean fill meeting the Restricted Residential Use SCOs underlain with a fabric demarcation barrier between the Composite Cover System and the subgrade materials or an asphalt/concrete surface, underlain with 6-inches of clean fill and a fabric demarcation barrier.
- Forty-one passive DNAPL recovery wells were installed. One of the recovery wells was destroyed in 2015 and was not replaced with approval from the NYSDEC. The locations of the remaining 40 recovery wells are depicted in **Figure 2**.

In accordance with the Decision Document and the Draft SMP, National Grid began annual post-remedy monitoring of the groundwater at the Site in the Fourth Quarter of 2016 (Q4 2016). This data provides a baseline of groundwater analytical results following completion of the remedy to evaluate the overall effectiveness of the remedial action.

1.4 Geology

Three major stratigraphic units were identified during the Remedial Investigation (RI) and Final RI drilling program:

- Recent/post glacial fill
- Barrier island deposits
- Glacial outwash deposits

A general description of the three stratigraphic units is provided below.

Fill Material

Fill material is distributed throughout the site investigation areas and was placed in a series of land area expansions from approximately the 1800s to the 1930s. The Sanborn Fire Insurance maps indicate that approximately the northern two-thirds of the site investigation areas were part of Jamaica Bay in 1894. Retaining wall remnants are still present at the Site and mark former bulkheads that supported these filling activities.

Fill material observed at the site consisted primarily of sand with minor amounts of finer and coarser material. The fill material also includes variable amounts of coal, tar coke, clinkers, slag wood, concrete, brick, ash, glass, and crushed shell fragments. Fill materials were encountered to approximately 10 to 15 ft bgs in most of the site areas. Fill was observed to approximately 30 ft bgs in the bulkhead area.

Barrier Island Deposits

Underlying the fill unit throughout much of the Site are sandy, shell-bearing deposits interpreted as recent near-shore, beach, and dune deposits. These are identified as the barrier island deposits. The barrier island deposits contain minor amounts of silt and clay lenses. In addition, shell-bearing layers ranging from approximately 2 feet to 29 feet thick were observed. These layers sometimes contained coarser sand and gravels. The barrier island deposits were observed through the depths of most

borings in the Site investigation areas. The deposits are approximately 55 to 70 feet thick throughout the Site.

Underlying the barrier island deposits at approximately 55 to 70 ft bgs, a distinct color change was observed from gray to brown in borings located throughout the Site. This was interpreted as a transition between the barrier island deposits and the glacial outwash deposits. The transitional zone is approximately 35 to 40 feet thick. Also, a silty sand layer was observed between 65 and 95 ft bgs in this transitional layer.

Glacial Deposits

Underneath the transitional zone, glacial deposits consisting of primarily well-sorted brown outwash sands were encountered. The glacial deposits were encountered at approximately 95 to 105 ft bgs. Some silty sand lenses were observed in the borings at approximately 100 ft bgs in some of the borings.

1.5 Hydrogeology

There is one shallow, unconfined aquifer beneath the Site. Wells were installed at consistent, yet arbitrary, depth intervals in order to evaluate different groundwater zones of the aquifer during the RI. The zones selected are identified as follows: shallow “S” (wells screened at the water table ranging from 2 to 17 feet ft bgs), intermediate “I” (wells screened from 17 to 45 ft bgs), deep “D” (wells screened from 45 to 90 ft bgs), and deep (2) “D2” (wells screened from 90 to 105 ft bgs).

Groundwater depths were collected from all accessible monitoring wells at low and high tides based on the survey tidal mark and tide charts obtained from the National Oceanic and Atmospheric Administration. The water table was observed at approximately 8 ft bgs during monitoring events at the Site.

Three tidal studies have been conducted to confirm the groundwater flow at and adjacent to the Site. In general, groundwater at low tide on the eastern portion of the Site flows northeast towards Jamaica Bay, and shallow groundwater on the western portion of the Site flows northwest towards Jamaica Bay. At high tide, the shallow groundwater contour map depicts the presence of a groundwater divide (or trough) on the Site from the former location of PZ-06 on the southwest corner to the former location of MW-02 on the eastern edge of the Site. This trough is the result of high tidal levels within Jamaica Bay causing shallow groundwater to flow southerly toward the Site during high tide. However, this effect does not “over-ride” the dominant shallow discharge pattern toward Jamaica Bay across the entire Site, thus creating a localized trough. South of the trough, the shallow groundwater still flows north toward Jamaica Bay, even during high tide.

1.6 Historical Groundwater Monitoring Event Summary

Groundwater monitoring events were conducted at the Site in February 2009 and October 2014. The post-remedy baseline sampling was completed in Q4 2016 and annual sampling began in the Fourth Quarter of 2017 (Q4 2017).

2. Rockaway Park Site and Adjacent Off-site Areas

2.1 Annual Groundwater Monitoring Event Summary

Event Dates: October 14-17, 2019

Site Phase: Post Remedial Annual Groundwater Monitoring

Location: Rockaway Park Former MGP Site

2.2 Monitoring Program

2.2.1 Number of Wells

A total of 61 monitoring wells and recovery wells are located at or adjacent to the Site. The monitoring well and recovery well locations are depicted in **Figure 2**. Sixty-three wells are included in the post-remedy annual gauging and sampling plan at the Site described in Section 4.3 of the SMP. Monitoring wells RPMW-02D and RPMW-02D2 were identified as destroyed during the October 2016 baseline groundwater sampling event. A total of 45 monitoring wells and recovery wells were sampled during the annual groundwater sampling event. Monitoring and recovery wells included in Table 6 of the SMP were omitted from annual sampling event due to the presence of non-aqueous phase liquid (NAPL) in the wells.

2.2.2 Hydrological Data

Groundwater levels were measured at 55 monitoring wells and recovery wells on October 15, 2019 at low tide. Groundwater levels were measured at 56 monitoring wells and recovery wells on October 15, 2019 at high tide. Six monitoring wells, RPMW-04S, RPMW-04I, RPMW-17S, RPMW-17I, RPMW-17D, and RW-02C were not accessible for the low tide measurements. Five monitoring wells, RPMW-04S, RPMW-04I, RPMW-17S, RPMW-17I, and RW-02C were not accessible for high tide measurements. Depth to groundwater and calculated groundwater elevations are provided in **Table 1**. Shallow, intermediate, deep, and deep (2) groundwater contours and elevations for the October 2019 sampling event are depicted in **Figures 3 and 4**. The groundwater flow direction in the shallow zone was generally to the west during low tide and northwest during high tide. The groundwater flow direction in the intermediate zone is generally to the northwest during low tide and high tide. The groundwater flow direction in the deep zone is to the north during low tide and west during high tide. The groundwater flow direction in the deep (2) zone is generally to the north during low tide and high tide. The 2019 groundwater flow direction in the deep (2) zone depicted on the figures is based on limited number of wells compared to the historic flow direction which incorporated a larger number of wells in this zone prior to the remediation. The depth to water and water table elevation data for the shallow, intermediate, deep, and deep (2) portions of the aquifer are presented below in **Tables 2a-2d**.

Table 2a – Shallow Groundwater Measurements

Well ID	Low Tide Depth to Water (feet)	Low Tide Water Elevation (feet above MSL)	High Tide Depth to Water (feet)	High Tide Water Elevation (feet above MSL)
RPMW-01S	6.81	0.06	4.73	2.14
RPMW-02S	8.93	1.11	8.52	1.52
RPMW-03S	5.01	1.21	4.71	1.51
RPMW-04S	not accessible	-	not accessible	-
RPMW-11S	6.75	1.43	6.47	1.71
RPMW-14S	10.62	1.75	9.39	2.98
RPMW-17S	not accessible	-	not accessible	-
RPMW-19S	4.11	4.14	2.51	5.74
RPMW-26S	4.81	2.92	4.22	3.51
RW-05A	8.04	1.20	6.68	2.56
RW-06A	8.02	1.37	6.98	2.41
RW-13A	7.03	1.72	6.56	2.19

Table 2b – Intermediate Groundwater Measurements

Well ID	Low Tide Depth to Water (feet)	Low Tide Water Elevation (feet above MSL)	High Tide Depth to Water (feet)	High Tide Water Elevation (feet above MSL)
RPMW-01I	5.93	0.76	3.51	3.18
RPMW-02I	9.23	0.8	6.23	3.8
RPMW-03I	6.49	-0.08	3.65	2.76
RPMW-04I	not accessible	-	not accessible	-
RPMW-11I	8.67	-0.47	5.12	3.08
RPMW-14I	10.09	1.61	10.06	1.64
RPMW-17I	not accessible	-	not accessible	-
RW-03	10.39	-0.19	7.51	2.69
RW-04A	9.89	0.09	7.27	2.71
RW-05B	8.28	1.15	6.71	2.72
RW-07A	8.44	1.61	7.77	2.28
RW-09	8.76	1.78	8.39	2.15
RW-10	9.13	1.60	8.49	2.24
RW-11	9.84	1.04	8.22	2.66
RW-12A	9.32	1.35	8.04	2.63
RW-12B	10.40	0.70	8.40	2.70
RW-14B	7.22	1.40	6.11	2.51
RW-16A	7.11	1.23	6.03	2.31
RW-17A	6.51	1.39	5.41	2.49
RW-18A	8.76	-0.25	8.30	0.21
RW-02A	9.57	-0.92	8.02	0.63
RW-02B	10.82	-1.86	7.72	1.24
RW-01A	9.33	-0.78	8.01	0.54
RW-19A	7.92	0.57	8.35	0.14
RW-20A	8.46	-0.07	7.91	0.48

Table 2c – Deep Groundwater Measurements

Well ID	Low Tide Depth to Water (feet)	Low Tide Water Elevation (feet above MSL)	High Tide Depth to Water (feet)	High Tide Water Elevation (feet above MSL)
RPMW-03D	6.69	0.43	3.71	3.41
RPMW-11D	8.95	-0.83	5.34	2.78
RPMW-14D	11.2	1.82	10.50	2.52
RPMW-17D	not accessible	-	4.11	3.46
RW-04B	10.98	-1.29	6.57	3.12
RW-05C	8.72	0.93	6.94	2.71
RW-06B	8.72	1.05	7.01	2.76
RW-07B	9.23	1.09	7.67	2.65
RW-08B	8.65	1.00	7.11	2.54
RW-13B	7.33	1.71	6.88	2.16
RW-15A	7.68	1.19	6.24	2.63
RW-17B	6.91	1.85	5.76	3.00
RW-18B	10.35	-1.82	7.09	1.44
RW-18C	10.33	-1.83	6.81	1.69
RW-02C	not accessible	-	not accessible	-
RW-01B	10.47	-1.83	7.15	1.49
RW-01C	10.21	-1.59	7.11	1.51
RW-19B	9.86	-1.33	6.93	1.60
RW-19C	10.02	-1.49	7.15	1.38
RW-20B	10.14	-1.79	6.82	1.53
RW-20C	10.27	-2.06	6.78	1.43

Table 2d – Deep (2) Groundwater Measurements

Well ID	Low Tide Depth to Water (feet)	Low Tide Water Elevation (feet above MSL)	High Tide Depth to Water (feet)	High Tide Water Elevation (feet above MSL)
RPMW-14D2	9.43	2.18	8.98	2.63
RW-15B	7.92	0.77	6.22	2.47
RW-16B	6.87	2.37	6.11	3.13

2.2.3 NAPL Gauging

All of the existing wells in the groundwater monitoring network are gauged for the presence of NAPL during each groundwater monitoring event. The thickness measurements recorded during the baseline sampling event are shown in **Table 3**.

Table 3 – DNAPL Gauging Measurements

Well ID	December 2018 DNAPL Thickness (feet)	October 2019 DNAPL Thickness (feet)	Estimated Recovery Rate (feet/day)
RW-03	0.28	0.26	-0.00005
RW-05B	5.55	6.41	0.0024
RW-06A	5.65	6.63	0.0027
RW-06B	1.15	1.38	0.0006
RW-07A	0.9	1.08	0.0005
RW-07B	4.75	5.18	0.0012
RW-13A	0.0	0.0	0.0
RW-14B	0.0	0.0	0.0
RW-15A	0.0	0.41	0.0011
RW-15B	0.0	0.0	0.0
RW-16A	0.0	0.0	0.0
RW-16B	4.51	6.95	0.0067
RW-17A	0.7	6.00	0.0145

Historically, the recovery rates for DNAPL at recovery wells RW-06A and RW-16B and the recovery rates from former monitoring wells collected in 2003 and 2005 during previous recovery rate evaluations have been approximately 0.04 feet/day. Over the year period between December 2018 and October 2019, recovery rates ranged between 0.0 and 0.0145 feet/day.

2.2.4 Groundwater Analytical Sampling

The 2019 groundwater sampling event was performed from October 14 to 17, 2019 and included all accessible wells on the annual sampling list. If monitoring wells with measurable NAPL thicknesses were identified during the sampling event, they were not to be sampled in accordance with the provisions of the SMP. A total of 45 monitoring wells and recovery wells were sampled for the following analytes:

- Volatile organic compounds (VOCs) via Environmental Protection Agency (EPA) Method 8260
- Semi-volatile organic compounds (SVOCs) via EPA Method 8270
- Total Cyanide via EPA Method 9012B
- Free Cyanide via EPA Method 9016

2.2.5 Analytical Results

The discussion below focuses on the analytical results from the current sampling event compared to the baseline sampling event performed in October 2016. The laboratory analytical results for the October 2019 sampling event are included in **Table 4**.

VOCs

VOC detections above the New York State Technical and Operational Guidance Series (TOGS), 1.1.1 – Ambient Water Quality Standards and Guidance Values (AWQS) for Class GA groundwater were generally limited to benzene, toluene, ethylbenzene and xylene (BTEX). Exceptions include

concentrations of isopropylbenzene in 19 samples exceeded the AWQS, ranging from 2.4 to 48 times the AWQS value. The maximum detection of isopropylbenzene was approximately 50 percent higher than the maximum detection in the baseline event. Methyl tert-butyl ether (MTBE) was detected at a concentration above the AWQS in sample RPMW-11I at 11 micrograms per liter ($\mu\text{g/L}$). This detection was 60 percent higher than the detection of Methyl tert-butyl ether (MTBE) in RPMW-11I during the baseline sampling efforts. Total BTEX concentrations ranged from less than method detection limits (ND) in 14 of the 45 wells sampled, to 13,500 $\mu\text{g/L}$ in RPMW-17S, 77% higher than the maximum concentration detected in the baseline event. Individual BTEX compound concentrations above the AWQS were identified in 15 of the 23 wells with detections. The detections in wells with exceedances of the AWQS are summarized in **Table 4**.

SVOCs

SVOC detections above the AWQS included both PAHs and other SVOCs. Total PAH concentrations ranged from ND in 18 of the 45 wells sampled to 8,210 $\mu\text{g/L}$ in RW-12B, 8% higher than the maximum detection in the baseline sampling event. Additionally, concentrations of biphenyl (1,1-biphenyl), phenol and 4-Chloroaniline exceeded the AWQS in two, four, and one of the 45 wells, respectively. Maximum concentrations of biphenyl(1,1-biphenyl) and phenol were approximately 21% lower and 98% lower, respectively, than the maximum concentrations in the baseline event. 4-Chloroaniline was not detected during the baseline event. The detections in wells with concentrations above the AWQS are summarized in **Table 4**.

Cyanides

Total and free cyanide were analyzed in each well sampled during the groundwater monitoring event. Free cyanide was detected in 23 samples, the maximum concentration detected was approximately 36% higher than the 2016 baseline sampling event. Total cyanide was detected in 37 of 45 wells with 13 samples exceeding the AWQS. Maximum concentrations of total cyanide were approximately 34% lower than the maximum concentrations observed during the baseline event.

2.3 Future Plans

- Continue annual post-remedy sampling in Q4 2020 as proposed in the SMP.
- Submit future groundwater data in the Periodic Review Report following approval of the SMP.

Tables

Table 1 - Water Level Measurements and Calculated Groundwater Elevations
Groundwater Monitoring Report Q4-2019
Rockaway Park Former MGP Site
Rockaway Park, New York

Monitoring Well ID	Well Diameter/Type	Screened Interval (ft bgs)	Total Depth (ft bgs)	Top of Casing Elevation (feet NAVD88)	Location	Low Tide				High Tide			
						Depth To Water	Groundwater Elevation (feet NAVD88)	Time of Water Measurement	DNAPL Thickness	Depth To Water	Groundwater Elevation (feet NAVD88)	Time of Water Measurement	DNAPL Thickness
RPMW-01S	2-inch PVC	5-15	17	6.87	Beach Channel Drive	6.81	0.06	1553	0	4.73	2.14	942	0
RPMW-01I	2-inch PVC	35-45	47	6.69	Beach Channel Drive	5.93	0.76	1551	0	3.51	3.18	903	0
RPMW-02S	2-inch PVC	5-15	17	10.04	Beach Channel Drive	8.93	1.11	1604	0	8.52	1.52	957	0
RPMW-02I	2-inch PVC	35-45	47	10.03	Beach Channel Drive	9.23	0.8	1606	0	6.23	3.8	958	0
RPMW-03S	2-inch PVC	5-15	17	6.22	Beach Channel Drive	5.01	1.21	1606	0	4.71	1.51	954	0
RPMW-03I	2-inch PVC	35-45	47	6.41	Beach Channel Drive	6.49	-0.08	1605	0	3.65	2.76	955	0
RPMW-03D	2-inch PVC	65-75	77	7.12	Beach Channel Drive	6.69	0.43	1604	0	3.71	3.41	956	0
RPMW-04S	2-inch PVC	5-15	17	11.48	Substation	not accessible	-	-	0	not accessible	-	-	0
RPMW-04I	2-inch PVC	35-45	47	10.7	Substation	not accessible	-	-	0	not accessible	-	-	0
RPMW-11S	2-inch PVC	5-15	17	8.18	Beach Channel Drive	6.75	1.43	1604	0	6.47	1.71	951	0
RPMW-11I	2-inch PVC	35-45	47	8.2	Beach Channel Drive	8.67	-0.47	1601	0	5.12	3.08	949	0
RPMW-11D	2-inch PVC	65-75	77	8.12	Beach Channel Drive	8.95	-0.83	1558	0	5.34	2.78	948	0
RPMW-14S	2-inch PVC	5-15	17	12.37	On-Site	10.62	1.75	1614	0	9.39	2.98	1009	0
RPMW-14I	2-inch PVC	35-45	47	11.7	On-Site	10.09	1.61	1616	0	10.06	1.64	1008	0
RPMW-14D	2-inch PVC	66-76	78	13.02	On-Site	11.2	1.82	1611	0	10.5	2.52	1006	0
RPMW-14D2	2-inch PVC	95-105	107	11.61	On-Site	9.43	2.18	1613	0	8.98	2.63	1007	0
RPMW-17S	2-inch PVC	5-15	17	6.03	Beach 108th Street	not accessible	-	-	0	not accessible	-	-	0
RPMW-17I	2-inch PVC	35-45	47	7.59	Beach 108th Street	not accessible	-	-	0	not accessible	-	-	0
RPMW-17D	2-inch PVC	65-75	77	7.57	Beach 108th Street	not accessible	-	-	0	4.11	3.46	944	0
RPMW-19S	1-inch PVC	2.3-12.3	12.3	8.25	Beach Channel Drive	4.11	4.14	1600	0	2.51	5.74	952	0
RPMW-26S	1-inch PVC	3-13	13	7.73	Beach 108th Street	4.81	2.92	1555	0	4.22	3.51	947	0
RW-03	4-inch PVC	15-25	30	10.2	On-Site	10.39	-0.19	1628	0.26'	7.51	2.69	1024	0.26'
RW-04A	4-inch PVC	30-40	45	9.98	On-Site	9.89	0.09	1624	0	7.27	2.71	1025	0
RW-04B	4-inch PVC	40-60	65	9.69	On-Site	10.98	-1.29	1623	0	6.57	3.12	1023	0
RW-05A	4-inch PVC	10-20	25	9.24	On-Site	8.04	1.2	1621	0	6.68	2.56	1018	0
RW-05B	4-inch PVC	25-40	45	9.43	On-Site	8.28	1.15	1625	6.41'	6.71	2.72	1017	6.41'
RW-05C	4-inch PVC	40-50	55	9.65	On-Site	8.72	0.93	1623	0	6.94	2.71	1016	0
RW-06A	4-inch PVC	10-20	25	9.39	On-Site	8.02	1.37	1626	6.63'	6.98	2.41	1019	6.63'
RW-06B	4-inch PVC	50-60	65	9.77	On-Site	8.72	1.05	1627	1.38'	7.01	2.76	1019	1.38'
RW-07A	4-inch PVC	10-30	35	10.05	On-Site	8.44	1.61	1622	1.08'	7.77	2.28	1023	1.08'
RW-07B	4-inch PVC	40-60	65	10.32	On-Site	9.23	1.09	1621	5.18'	7.67	2.65	1021	5.18'
RW-08B	4-inch PVC	40-60	65	9.65	On-Site	8.65	1	1625	0	7.11	2.54	1021	0
RW-09	4-inch PVC	5-30	35	10.54	On-Site	8.76	1.78	1620	0	8.39	2.15	1020	0
RW-10	4-inch PVC	5-30	35	10.73	On-Site	9.13	1.6	1619	0	8.49	2.24	1018	0
RW-11	4-inch PVC	20-40	45	10.88	On-Site	9.84	1.04	1618	0	8.22	2.66	1016	0
RW-12A	4-inch PVC	20-35	40	10.67	On-Site	9.32	1.35	1617	0	8.04	2.63	1013	0
RW-12B	4-inch PVC	35-50	55	11.1	On-Site	10.4	0.7	1618	0	8.4	2.7	1014	0
RW-13A	4-inch PVC	5-20	25	8.75	On-Site	7.03	1.72	1625	0	6.56	2.19	1004	0
RW-13B	4-inch PVC	55-60	65	9.04	On-Site	7.33	1.71	1624	0	6.88	2.16	1003	0
RW-14B	4-inch PVC	10-30	35	8.62	On-Site	7.22	1.4	1626	Blebs	6.11	2.51	1005	Blebs
RW-15A	4-inch PVC	40-60	65	8.87	On-Site	7.68	1.19	1629	0.41'	6.24	2.63	1006	0.41'
RW-15B	4-inch PVC	80-100	105	8.69	On-Site	7.92	0.77	1631	0	6.22	2.47	1008	0
RW-16A	4-inch PVC	10-30	35	8.34	On-Site	7.11	1.23	1627	0	6.03	2.31	1013	0
RW-16B	4-inch PVC	90-110	115	9.24	On-Site	6.87	2.37	1628	6.95'	6.11	3.13	1012	6.95'
RW-17A	4-inch PVC	10-30	35	7.9	On-Site	6.51	1.39	1632	6.00'	5.41	2.49	1009	6.00'
RW-17B	4-inch PVC	70-90	95	8.76	On-Site	6.91	1.85	1633	0	5.76	3	1010	0
RW-18A	4-inch PVC	22-32	37	8.51	Beach Channel Drive	8.76	-0.25	1558	0	8.3	0.21	946	0
RW-18B	4-inch PVC	42-52	57	8.53	Beach Channel Drive	10.35	-1.82	1559	0	7.09	1.44	947	0
RW-18C	4-inch PVC	62-72	77	8.5	Beach Channel Drive	10.33	-1.83	1600	0	6.81	1.69	948	0
RW-02A*	4-inch PVC	15-25	30	8.65	Beach Channel Drive	9.57	-0.92	1553	0	8.02	0.63	942	0
RW-02B*	4-inch PVC	35-45	50	8.96	Beach Channel Drive	10.82	-1.86	1551	0	7.72	1.24	940	0
RW-02C*	4-inch PVC	60-70	75	8.79	Beach Channel Drive	not accessible	-	-	0	not accessible	-	-	0
RW-01A*	4-inch PVC	22-32	37	8.55	Beach Channel Drive	9.33	-0.78	1611	0	8.01	0.54	1036	0
RW-01B*	4-inch PVC	41-51	56	8.64	Beach Channel Drive	10.47	-1.83	1608	0	7.15	1.49	1034	0
RW-01C*	4-inch PVC	61-71	76	8.62	Beach Channel Drive	10.21	-1.59	1610	0	7.11	1.51	1034	0
RW-19A*	4-inch PVC	19-29	34	8.49	Beach Channel Drive	7.92	0.57	1613	0	8.35	0.14	1006	0
RW-19B*	4-inch PVC	41-51	56	8.53	Beach Channel Drive	9.86	-1.33	1615	0	6.93	1.6	1004	0
RW-19C*	4-inch PVC	61-71	76	8.53	Beach Channel Drive	10.02	-1.49	1619	0	7.15	1.38	1002	0
RW-20A*	4-inch PVC	22-32	37	8.39	Beach Channel Drive	8.46	-0.07	1615	0	7.91	0.48	914	0
RW-20B*	4-inch PVC	41-51	56	8.35	Beach Channel Drive	10.14	-1.79	1614	0	6.82	1.53	915	0
RW-20C*	4-inch PVC	61-71	76	8.21	Beach Channel Drive	10.27	-2.06	1610	0	6.78	1.43	1015	0

Table 4. Detected Groundwater Analysis Results
Groundwater Monitoring Report Q4-2019
Rockaway Park Former MGP Site
Rockaway Park, New York

Sample Name Sample Date Parent Sample				RPMW-01S 10/14/2019	DUP-01 10/14/2019 RPMW-01S	RPMW-01I 10/14/2019	RPMW-02S 10/14/2019	RPMW-02I 10/14/2019	RPMW-03I 10/15/2019	RPMW-03D 10/15/2019	RPMW-04S 10/17/2019	RPMW-04I 10/17/2019	RPMW-11S 10/14/2019	RPMW-11I 10/14/2019	RPMW-11D 10/14/2019
Analyte	Units	CAS No.	NYS AWQS												
BTEX	ug/L														
Benzene		71-43-2	1	1 U	1 U	1 U	1 U	0.99 J	180	1 U	1 U	1 U	2.2	74	1 U
Toluene		108-88-3	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	17	1 U
Ethylbenzene		100-41-4	5	1 U	1 U	1 U	1 U	12	1 U	1 U	1 U	32	1 U	800	1 U
o-Xylene		95-47-6	5	1 U	1 U	1 U	1 U	1.6	1 U	1 U	1 U	5.4	1 U	180	1 U
m/p-Xylene		179601-23-1	5	1 U	1 U	1 U	1 U	1.1 U	0.32 J	1 U	1 U	0.79 J	1 U	88	1 U
Total BTEX (ND=0)		TBTEX_ND0	NE	ND	ND	ND	ND	14.59	180.32	ND	ND	38.19	2.2	1159	ND
Other VOCs	ug/L														
Acetone		67-64-1	50*	5 UJ	5 UJ	5 UJ	5 U	5 U	5 U	5 U	6.3	5 U	5 UJ	10 UJ	5 UJ
Carbon disulfide		75-15-0	60*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U
Chloroform (Trichloromethane)		67-66-3	7	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U
Cyclohexane		110-82-7	NE	1 U	1 U	1 U	1 U	1 U	0.44 J	1 U	1 U	1 U	1 U	2 U	1 U
Isopropylbenzene		98-82-8	5	1 U	1 U	0.45 J	1 U	0.96 J	18	1 U	1 U	23	0.36 J	33	1 U
Methyl tert-butyl ether (MTBE)		1634-04-4	10*	1 U	1 U	0.6 J	1 U	1 U	0.71 J	1 U	1 U	1 U	1 U	11	1 U
4-Methyl-2-pentanone (MIBK)		108-10-1	NE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	10 U	1.3 J
Methylcyclohexane		108-87-2	NE	1 U	1 U	1 U	1 U	1 U	0.46 J	1 U	1 U	1 U	1 U	2 U	1 U
Styrene		100-42-5	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U
PAH17	ug/L														
Acenaphthene		83-32-9	20*	10 U	10 U	2.4 J	4.8 J	1.9 J	54	10 U	10 U	24	10 U	83 J	10 U
Acenaphthylene		208-96-8	NE	10 U	10 U	10 U	10 U	4.4 J	1 J	10 U	10 U	110	10 U	100 U	10 U
Anthracene		120-12-7	50*	10 U	10 U	10 U	10 U	10 U	0.91 J	10 U	10 U	0.86 J	10 U	100 U	10 U
Benzo(a)anthracene		56-55-3	0.002*	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U
Benzo(a)pyrene		50-32-8	ND	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	10 U	1 U
Chrysene		218-01-9	0.002*	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	20 U	2 U
Fluoranthene		206-44-0	50*	10 U	10 U	10 U	0.85 J	10 U	10 U	10 U	10 U	10 U	10 U	100 U	10 U
Fluorene		86-73-7	50*	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	2.1 J	10 U	12 J	10 U
2-Methylnaphthalene		91-57-6	NE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	17 J	10 U
Naphthalene		91-20-3	10*	10 U	10 U	10 U	10 U	3.4 J	10 U	10 U	10 U	8.6 J	10 U	1200	10 U
Phenanthrene		85-01-8	50*	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5.3 J	10 U	17 J	10 U
Pyrene		129-00-0	50*	10 U	10 U	10 U	1.7 J	3.1 J	10 U	10 U	10 U	10 U	10 U	100 U	10 U
Total PAH (17) (ND=0)		TPAH17_ND0	NE	ND	ND	2.4	7.35	12.8	55.91	ND	ND	150.86	ND	1329	ND
PAH17 Other SVOCs	ug/L														
Acetophenone		98-86-2	NE	10 U	10 U	10 U	10 U	10 U	1.9 J	10 U	10 U	1.7 J	10 U	100 U	10 U
Biphenyl (1,1-Biphenyl)		92-52-4	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	3.7 J	10 U	12 J	10 U
Carbazole		86-74-8	NE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	1.5 J	10 U	100 U	10 U
4-Chloroaniline		106-47-8	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	100 U	10 U
Dibenzofuran		132-64-9	NE	10 U	10 U	10 U	10 U	10 U	1.9 J	10 U	10 U	4 J	10 U	100 U	10 U
2,4-Dichlorophenol		120-83-2	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	2.3 J	10 U	10 U	100 U	10 U
2,6-Dinitrotoluene		606-20-2	5	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	20 U	2 U
Isophorone		78-59-1	50*	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.96 J	10 U	10 U	100 U	10 U
2-Methylnaphthalene		91-57-6	NE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	17 J	10 U
Phenol		108-95-2	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	100 U	10 U
Cyanides	ug/L														
Free Cyanide		FREECN	NE	3 J	10.7	5 U	13.1	5 U	5	5 U	5 U	5 U	3.9 J	49.1 J	12.7
Total Cyanide		57-12-5	200	287 J	294 J	39.3 J	327 J	10 UJ	58.5	10 U	61	30.5	336 J	7.9 J	139 J

Table 4. Detected Groundwater Analysis Results
Groundwater Monitoring Report Q4-2019
Rockaway Park Former MGP Site
Rockaway Park, New York

Sample Name Sample Date Parent Sample				RPMW-14S 10/16/2019	RPMW-14I 10/16/2019	RPMW-14D 10/16/2019	RPMW-14D2 10/16/2019	RPMW-17S 10/16/2019	RPMW-17I 10/16/2019	RPMW-17D 10/16/2019	RPMW-19S 10/16/2019	DUP-03 10/16/2019 RPMW-19S	RPMW-26S 10/15/2019	RW-01A 10/14/2019	RW-01B 10/14/2019
Analyte	Units	CAS No.	NYS AWQS												
BTEX	ug/L														
Benzene		71-43-2	1	630	1 U	1 U	0.46 J	1400	3.6	0.25 J	5.2	5.5	1 U	7.5	1 U
Toluene		108-88-3	5	27	1 U	1 U	1 U	1000	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene		100-41-4	5	5000	1 U	1 U	1 U	7500	1.1	1.6	0.46 J	0.47 J	1 U	3.7	1 U
o-Xylene		95-47-6	5	1300	1 U	1 U	1 U	2400	1 U	0.36 J	1 U	1 U	1 U	0.57 J	1 U
m/p-Xylene		179601-23-1	5	1000	1 U	1 U	1 U	1200	0.43 J	1 U	0.65 J	1 U	1 U	1 U	1 U
Total BTEX (ND=0)		TBTEX_ND0	NE	7957	ND	ND	0.46	13500	5.13	2.21	6.31	5.97	ND	11.77	ND
Other VOCs	ug/L														
Acetone		67-64-1	50*	50 U	5 U	5 U	5 U	100 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon disulfide		75-15-0	60*	10 U	1 U	1 U	1 U	20 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroform (Trichloromethane)		67-66-3	7	10 U	1 U	1 U	1 U	20 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Cyclohexane		110-82-7	NE	4 J	1 U	1 U	1 U	20 U	3.3	1 U	0.36 J	0.37 J	1 U	1 U	1 U
Isopropylbenzene		98-82-8	5	240	1 U	1 U	1 U	140	170	1 U	27	28	1 U	1 U	1 U
Methyl tert-butyl ether (MTBE)		1634-04-4	10*	10 U	1 U	1 U	1 U	20 U	1 U	1 U	0.62 J	0.62 J	1 U	1 U	1 U
4-Methyl-2-pentanone (MIBK)		108-10-1	NE	50 U	5 U	5 U	5 U	100 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Methylcyclohexane		108-87-2	NE	4.7 J	1 U	1 U	1 U	20 U	6.8	1 U	0.55 J	0.57 J	1 U	1 U	1 U
Styrene		100-42-5	5	10 U	1 U	1 U	1 U	20 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
PAH17	ug/L														
Acenaphthene		83-32-9	20*	200 U	10 U	10 U	10 U	1.9 J	1.4 J	10 U	53	61	10 U	10 U	10 U
Acenaphthylene		208-96-8	NE	200 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Anthracene		120-12-7	50*	200 U	10 U	10 U	10 U	1.3 J	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzo(a)anthracene		56-55-3	0.002*	20 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzo(a)pyrene		50-32-8	ND	20 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chrysene		218-01-9	0.002*	40 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Fluoranthene		206-44-0	50*	200 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Fluorene		86-73-7	50*	200 U	10 U	10 U	10 U	1.1 J	10 U	10 U	1.2 J	1.3 J	10 U	10 U	10 U
2-Methylnaphthalene		91-57-6	NE	23 J	10 U	10 U	10 U	19	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Naphthalene		91-20-3	10*	1100	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	2.2 J	10 U
Phenanthrene		85-01-8	50*	200 U	10 U	10 U	10 U	1.4 J	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Pyrene		129-00-0	50*	200 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Total PAH (17) (ND=0)		TPAH17_ND0	NE	1123	ND	ND	ND	24.7	1.4	ND	54.2	62.3	ND	2.2	ND
PAH17 Other SVOCs	ug/L														
Acetophenone		98-86-2	NE	200 U	10 U	10 U	10 U	4.6 J	5.6 J	10 U	2.3 J	2.4 J	10 U	10 U	10 U
Biphenyl (1,1-Biphenyl)		92-52-4	5	200 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Carbazole		86-74-8	NE	200 U	10 U	10 U	10 U	10 U	10 U	10 U	1.3 J	1.6 J	10 U	10 U	10 U
4-Chloroaniline		106-47-8	5	200 U	10 U	10 U	10 U	170	10 U	10 U	10 U	10 U	10 U	10 U	10 UJ
Dibenzofuran		132-64-9	NE	200 U	10 U	10 U	10 U	10 U	10 U	10 U	1.6 J	1.8 J	10 U	10 U	10 U
2,4-Dichlorophenol		120-83-2	5	200 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2,6-Dinitrotoluene		606-20-2	5	40 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Isophorone		78-59-1	50*	200 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Methylnaphthalene		91-57-6	NE	23 J	10 U	10 U	10 U	19	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Phenol		108-95-2	1	200 U*	10 U	10 U	10 U	10 U	10 U*	10 U*	10 U*	10 U	10 U	1.7 J	10 U
Cyanides	ug/L														
Free Cyanide		FREECN	NE	5 U	5 U	5 U	5 U	9.6 J	50.4	5 U	5 U	1.5 J	5 U	3.7 J	4.4 J
Total Cyanide		57-12-5	200	48.5	10 U	10 U	24	67.3	56.1	10 U	159	177	10.1	391 J	10.9 J

Table 4. Detected Groundwater Analysis Results
Groundwater Monitoring Report Q4-2019
Rockaway Park Former MGP Site
Rockaway Park, New York

Sample Name Sample Date Parent Sample				RW-01C 10/14/2019	RW-02A 10/15/2019	RW-02B 10/15/2019	RW-04A 10/15/2019	RW-04B 10/15/2019	RW-05 10/15/2019	RW-05A 10/15/2019	RW-12A 10/16/2019	RW-12B 10/16/2019	RW-13A 10/16/2019	RW-13B 10/16/2019	RW-18A 10/15/2019
Analyte	Units	CAS No.	NYS AWQS												
BTEX	ug/L														
Benzene		71-43-2	1	1 U	1.6	1.3	1700	42	1900	11	3500	190	57	2.3	38
Toluene		108-88-3	5	1 U	1 U	1.3	24	9	19 J	0.45 J	16	12	2.4 J	1 U	20
Ethylbenzene		100-41-4	5	0.33 J	1 U	1.7	2000	460	2500	1.1	780	4000	1500	8.5	6.6
o-Xylene		95-47-6	5	1 U	1 U	1.9	540	220	430	1.6	100	990	360	1.3	13
m/p-Xylene		179601-23-1	5	1 U	1 U	0.63 J	200	21	230	0.66 J	46	1200	180	1.1	20
Total BTEX (ND=0)		TBTEX_ND0	NE	0.33	1.6	6.83	4464	752	5079	14.81	4442	6392	2099.4	13.2	97.6
Other VOCs	ug/L														
Acetone		67-64-1	50*	5 U	5 U	5 U	100 U	10 U	130 U	5 U	50 U	50 U	25 U	6.8	8.9
Carbon disulfide		75-15-0	60*	1 U	1 U	3.7	20 U	2 U	25 U	2.4	10 U	10 U	5 U	1 U	1 U
Chloroform (Trichloromethane)		67-66-3	7	1 U	1 U	0.65 J	20 U	2 U	25 U	1 U	10 U	10 U	5 U	1 U	1 U
Cyclohexane		110-82-7	NE	1 U	1 U	1 U	20 U	2 U	25 U	1 U	10 U	10 U	5 U	1 U	1 U
Isopropylbenzene		98-82-8	5	1 U	1.1	0.76 J	50	30	65	12	72	90	24	1 U	0.53 J
Methyl tert-butyl ether (MTBE)		1634-04-4	10*	1 U	1 U	1 U	20 U	2 U	25 U	1 U	10 U	10 U	5 U	1 U	1 U
4-Methyl-2-pentanone (MIBK)		108-10-1	NE	1.7 J	5 U	5 U	100 U	10 U	130 U	5 U	50 U	50 U	25 U	5 U	13
Methylcyclohexane		108-87-2	NE	1 U	1 U	1 U	20 U	2 U	25 U	1 U	10 U	10 U	5 U	1 U	1 U
Styrene		100-42-5	5	1 U	1 U	1 U	20 U	2 U	25 U	1 U	10 U	10 U	5 U	1 U	2.5
PAH17	ug/L														
Acenaphthene		83-32-9	20*	10 U	13	3.8 J	180 J	54	150 J	250	110 J	230 J	55	10 U	2.5 J
Acenaphthylene		208-96-8	NE	10 U	10 U	8.1 J	500 U	150	500 U	20 U	1000 U	2000 U	6.1 J	10 U	10 U
Anthracene		120-12-7	50*	10 U	10 U	10 U	500 U	4.1 J	500 U	11 J	1000 U	2000 U	5.7 J	10 U	10 U
Benzo(a)anthracene		56-55-3	0.002*	1 U	1 U	1 U	50 U	5 U	50 U	2 U	100 U	200 U	1.3	1 U	1 U
Benzo(a)pyrene		50-32-8	ND	1 U	1 U	1 U	50 U	5 U	50 U	2 U	100 U	200 U	0.88 J	1 U	1 U
Chrysene		218-01-9	0.002*	2 U	2 U	2 U	100 U	10 U	100 U	4 U	200 U	400 U	1.2 J	2 U	2 U
Fluoranthene		206-44-0	50*	10 U	10 U	10 U	500 U	50 U	500 U	11 J	1000 U	2000 U	4 J	10 U	10 U
Fluorene		86-73-7	50*	10 U	10 U	1 J	55 J	6.6 J	54 J	110	1000 U	2000 U	29	10 U	10 U
2-Methylnaphthalene		91-57-6	NE	10 U	10 U	10 U	440 J	50 U	550	20 U	410 J	780 J	34	10 U	10 U
Naphthalene		91-20-3	10*	10 U	3.5 J	6.1 J	5400	370	6600	20 U	3100	7200	68	10 U	13
Phenanthrene		85-01-8	50*	10 U	0.79 J	10 U	49 J	29 J	500 U	130	1000 U	2000 U	33	10 U	10 U
Pyrene		129-00-0	50*	10 U	10 U	10 U	500 U	50 U	500 U	16 J	1000 U	2000 U	5 J	10 U	10 U
Total PAH (17) (ND=0)		TPAH17_ND0	NE	ND	17.29	19	6124	613.7	7354	528	3620	8210	243.18	ND	15.5
PAH17 Other SVOCs	ug/L														
Acetophenone		98-86-2	NE	10 U	10 U	10 U	500 U	50 U	500 U	20 U	1000 U	2000 U	3.3 J	10 U	10 U
Biphenyl (1,1-Biphenyl)		92-52-4	5	10 U	10 U	10 U	500 U	50 U	500 U	30	1000 U	2000 U	4.6 J	10 U	10 U
Carbazole		86-74-8	NE	10 U	10 U	10 U	500 U	26 J	500 U	6 J	1000 U	2000 U	5.7 J	10 U	10 U
4-Chloroaniline		106-47-8	5	10 U	10 U	10 U	500 U	50 U	500 U	20 U	1000 U	2000 U	10 U	10 U	10 U
Dibenzofuran		132-64-9	NE	10 U	10 U	10 U	500 U	50 U	500 U	14 J	1000 U	2000 U	4.3 J	10 U	10 U
2,4-Dichlorophenol		120-83-2	5	10 U	10 U	10 U	500 U	50 U	500 U	20 U	1000 U	2000 U	10 U	10 U	10 U
2,6-Dinitrotoluene		606-20-2	5	2 U	2 U	2 U	100 U	10 U	100 U	4 U	200 U	400 U	2 U	2 U	2 U
Isophorone		78-59-1	50*	10 U	10 U	10 U	500 U	50 U	500 U	20 U	1000 U	2000 U	10 U	10 U	10 U
2-Methylnaphthalene		91-57-6	NE	10 U	10 U	10 U	440 J	50 U	550	20 U	410 J	780 J	34	10 U	10 U
Phenol		108-95-2	1	10 U	10 U	10 U	500 U	50 U	500 U	20 U	1000 U*	2000 U*	3.7 J*	10 U*	1.9 J
Cyanides	ug/L														
Free Cyanide		FREECN	NE	5 U	2.4 J	5 U	2.4 J	50 U	5 U	2.8 J	2.6 J	5 U	5 U	5 U	1.5 J
Total Cyanide		57-12-5	200	21.2 J	178	6.3 J	253	324	317	70.5	93.5	121	150	10 U	30.5

Table 4. Detected Groundwater Analysis Results
Groundwater Monitoring Report Q4-2019
Rockaway Park Former MGP Site
Rockaway Park, New York

Sample Name Sample Date Parent Sample				RW-18B 10/15/2019	RW-18C 10/15/2019	RW-19A 10/14/2019	RW-19B 10/15/2019	Dup-02 10/15/2019 RW-19B	RW-19C 10/15/2019	RW-20A 10/15/2019	RW-20B 10/15/2019	RW-20C 10/15/2019
Analyte	Units	CAS No.	NYS AWQS									
BTEX	ug/L											
Benzene		71-43-2	1	26	1 U	4.4	360	360	1 U	1 U	660	520
Toluene		108-88-3	5	0.61 J	1 U	0.9 J	4.1 J	10 U	1 U	1 U	3.3 J	6.2
Ethylbenzene		100-41-4	5	41	1 U	0.61 J	320	290	1 U	1 U	380	230
o-Xylene		95-47-6	5	1.1	1 U	0.62 J	27	23	1 U	1 U	28	9.6
m/p-Xylene		179601-23-1	5	0.69 J	1 U	0.66 J	11	11	1 U	1 U	13	2.8
Total BTEX (ND=0)		TBTEX_ND0	NE	69.4	ND	7.19	722.1	684	ND	ND	1084.3	768.6
Other VOCs	ug/L											
Acetone		67-64-1	50*	5 U	5 U	5 U	25 U	50 U	5 U	5 U	25 U	10 U
Carbon disulfide		75-15-0	60*	1.8	1 U	1 U	5 U	10 U*	1 U	1 U	5 U	2 U
Chloroform (Trichloromethane)		67-66-3	7	1 U	1 U	1 U	5 U	10 U	1 U	1 U	5 U	2 U
Cyclohexane		110-82-7	NE	1 U	1 U	1 U	5 U	10 U	1 U	1 U	5 U	2 U
Isopropylbenzene		98-82-8	5	3.7	1 U	1 U	27	23	1 U	1 U	28	19
Methyl tert-butyl ether (MTBE)		1634-04-4	10*	1 U	1 U	1 U	5 U	10 U	1 U	1 U	5 U	2 U
4-Methyl-2-pentanone (MIBK)		108-10-1	NE	5 U	5 U	1.8 J	25 U	50 U	5 U	5 U	25 U	10 U
Methylcyclohexane		108-87-2	NE	1 U	1 U	1 U	5 U	10 U	1 U	1 U	5 U	2 U
Styrene		100-42-5	5	0.54 J	1 U	0.71 J	5 U	10 U	1 U	1 U	5 U	2 U
PAH17	ug/L											
Acenaphthene		83-32-9	20*	11	10 U	10 U	75 J	56 J	10 U	10 U	97 J	6 J
Acenaphthylene		208-96-8	NE	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	2.4 J
Anthracene		120-12-7	50*	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	10 U
Benzo(a)anthracene		56-55-3	0.002*	1 U	1 U	1 U	20 U	10 U	1 U	1 U	20 U	1 U
Benzo(a)pyrene		50-32-8	ND	1 U	1 U	1 U	20 U	10 U	1 U	1 U	20 U	1 U
Chrysene		218-01-9	0.002*	2 U	2 U	2 U	40 U	20 U	2 U	2 U	40 U	2 U
Fluoranthene		206-44-0	50*	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	10 U
Fluorene		86-73-7	50*	10 U	10 U	10 U	200 U	10 J	10 U	10 U	27 J	10 U
2-Methylnaphthalene		91-57-6	NE	10 U	10 U	10 U	23 J	21 J	10 U	10 U	77 J	10 U
Naphthalene		91-20-3	10*	8.4 J	10 U	10 U	1800	1700	10 U	10 U	2000	3.3 J
Phenanthrene		85-01-8	50*	10 U	10 U	10 U	200 U	100 U	10 U	10 U	22 J	10 U
Pyrene		129-00-0	50*	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	2.1 J
Total PAH (17) (ND=0)		TPAH17_ND0	NE	19.4	ND	ND	1898	1787	ND	ND	2223	13.8
PAH17 Other SVOCs	ug/L											
Acetophenone		98-86-2	NE	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	10 U
Biphenyl (1,1-Biphenyl)		92-52-4	5	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	10 U
Carbazole		86-74-8	NE	4.2 J	10 U	10 U	17 J	14 J	10 U	10 U	200 U	10 U
4-Chloroaniline		106-47-8	5	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	10 U
Dibenzofuran		132-64-9	NE	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	10 U
2,4-Dichlorophenol		120-83-2	5	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	10 U
2,6-Dinitrotoluene		606-20-2	5	2 U	2 U	0.94 J	40 U	20 U	2 U	2 U	40 U	2 U
Isophorone		78-59-1	50*	10 U	10 U	10 U	200 U	100 U	10 U	10 U	200 U	10 U
2-Methylnaphthalene		91-57-6	NE	10 U	10 U	10 U	23 J	21 J	10 U	10 U	77 J	10 U
Phenol		108-95-2	1	10 U	10 U	4.7 J	200 U	100 U	10 U	10 U	200 U	10 U
Cyanides	ug/L											
Free Cyanide		FREECN	NE	5.7	5 U	9.4	7.2	8.5	5 U	3.3 J	32	25 U
Total Cyanide		57-12-5	200	237	10 U	628	347	398	10 U	152	369	27.3

Table 4. Detected Groundwater Analysis Results

Groundwater Monitoring Report Q4-2019

Rockaway Park Former MGP Site

Rockaway Park, New York

Notes:

Analytes in blue are not detected in any sample

ug/L = micrograms per liter or parts per billion (ppb)

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

PAH = Polycyclic Aromatic Hydrocarbon

SVOC = Semi-Volatile Organic Compound

VOC = Volatile Organic Compound

Total BTEX and Total PAHs are calculated using detects only.

Total PAH16 is calculated using the EPA16 list of analytes: Acenaphthene, Acenaphthylene, Anthracene, Benz[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Chrysene, Dibenzo[a,h]anthracene, Fluoranthene, Fluorene, Indeno[1,2,3-cd]pyrene, 2-Methylnaphthalene, Naphthalene, Phenanthrene, and Pyrene

NYS AWQS = New York State Ambient Water Quality Standards and Guidance Values for GA groundwater

* indicates the value is a guidance value and not a standard

CAS No. = Chemical Abstracts Service Number

MGP = Manufactured Gas Plant

ND = Not Detected

NE = Not Established

Bolding indicates a detected result concentration

Gray shading and boling indicates that the detected result value exceeds the NYS AWQS

Data Qualifiers:


* = The duplicate result was not within control limits.

J = The result is an estimated value.


U = The result was not detected above the reporting limit.

UJ = The results was not detected at or above the reporting limit shown and the reporting limit is estimated.

Figures



SOURCE: Map created with TOPO!® © 2001 National Geographic
 (www.nationalgeographic.com/topo)



Groundwater Monitoring Report
 Rockaway Park Former MGP Site
 Rockaway Park, New York

nationalgrid



Project 093150


SITE LOCATION MAP

February 2020

Fig. 1


JAMAICA BAY

LEGEND:	
	RW-15B DNAPL MONITORING WELL
	MW-08D EXISTING GROUNDWATER MONITORING WELL
	RW-08A ABANDONED DESTROYED WELLS
	PROPERTY BOUNDARY
	GROUND SURFACE MINOR CONTOUR
	GROUND SURFACE MAJOR CONTOUR
	FENCE
	EXISTING STRUCTURE
	HISTORIC STRUCTURE
	SHEET PILE BARRIER WALL
	GAS LINE
	ELECTRIC LINE
	OVERHEAD ELECTRIC LINE
	OVERHEAD LINE
	STORM SEWER LINE
	WATER LINE
	LIGHT POLE
	MANHOLE
	UTILITY POLE
	VALVE







NOTE:
1. MONITOR WELL LOCATION AND ELEVATION TAKEN AT NORTH EDGE OF PVC PIPE. ELEVATION DATUM FOR ALL MONITOR WELLS IS BOROUGH OF QUEENS DATUM.

SOURCE:
1. BOUNDARY SURVEY, SECTION 062 - BLOCK 16166 - LOTS 110 & 155, ROCKAWAY PARK, QUEENS COUNTY, NEW YORK, PREPARED BY KENNON SURVEYING SERVICES INC., SCALE: 1" = 40', DATE: NOVEMBER 2016.




Groundwater Monitoring Report Rockaway Park Former MGP Site Rockaway Park, New York nationalgrid		MONITORING WELL LOCATION MAP	
		Project 093150	February 2020



NOTE:
1. CONTOURS ARE BASED ON THE DECEMBER 2018 SAMPLING EVENT.

SOURCE:
1. BOUNDARY SURVEY, SECTION 062 - BLOCK 16166 - LOTS 110 & 155, ROCKAWAY PARK, QUEENS COUNTY, NEW YORK, PREPARED BY KENNON SURVEYING SERVICES INC., SCALE: 1" = 40', DATE: NOVEMBER 2016.

LEGEND:	
	GROUNDWATER CONTOUR
	GROUNDWATER FLOW DIRECTION
	PROPERTY BOUNDARY
	FENCE
	SHEET PILE BARRIER WALL
ft bgs	FEET BELOW GROUND SURFACE



Groundwater Monitoring Report
Rockaway Park Former MGP Site
Rockaway Park, New York

nationalgrid


GEI
Consultants

Project 093150

GROUNDWATER CONTOURS
(LOW TIDE)

February 2020


Fig. 3



NOTE:
1. CONTOURS ARE BASED ON THE DECEMBER 2018 SAMPLING EVENT.

SOURCE:
1. BOUNDARY SURVEY, SECTION 062 - BLOCK 16166 - LOTS 110 & 155, ROCKAWAY PARK, QUEENS COUNTY, NEW YORK, PREPARED BY KENNON SURVEYING SERVICES INC., SCALE: 1" = 40', DATE: NOVEMBER 2016.

LEGEND:	
	GROUNDWATER CONTOUR
	GROUNDWATER FLOW DIRECTION
	PROPERTY BOUNDARY
	FENCE
	SHEET PILE BARRIER WALL
ft bgs	FEET BELOW GROUND SURFACE



Groundwater Monitoring Report
Rockaway Park Former MGP Site
Rockaway Park, New York


Consultants

Project 093150

GROUNDWATER CONTOURS
(HIGH TIDE)

February 2020

Fig. 4



LEGEND:
RW-15B DNAPL MONITORING WELL
MW-08D EXISTING GROUNDWATER MONITORING WELL
RW-08A ABANDONED DESTROYED WELLS
PROPERTY BOUNDARY
GROUND SURFACE MINOR CONTOUR
GROUND SURFACE MAJOR CONTOUR
FENCE
SHEET PILE BARRIER WALL
BOLD INDICATES A DETECTED RESULT CONCENTRATION
GRAY SHADING INDICATES THAT THE DETECTED RESULT VALUE EXCEEDS THE NYS AWQS

NOTE: MONITOR WELL LOCATION AND ELEVATION TAKEN AT NORTH EDGE OF PVC PIPE. ELEVATION DATUM FOR ALL MONITOR WELLS IS BOROUGH OF QUEENS DATUM.
SOURCE: BOUNDARY SURVEY, SECTION 062 - BLOCK 16166 - LOTS 110 & 155, ROCKAWAY PARK, QUEENS COUNTY, NEW YORK, PREPARED BY KENNON SURVEYING SERVICES INC., SCALE: 1" = 40', DATE: NOVEMBER 2016.